ROCNA
ANCHORS // ROCK SOLID

Attention! Read these instructions...

HOW TO PRINT THIS PATTERN

Please follow these instructions to print. You will need A4 or letter size paper:

- From the Adobe Acrobat main window, go to **File > Print...**
- Select the printer you want to use, then click on **Properties**. In the new dialog window, check the paper format (A4 or US letter) is correct. Close the properties dialog when finished.
- In the Acrobat Print window, adjust the following settings:
  - ☑ Very important: Under **Page Sizing**, select **Size**, and then **"Actual size"**,
  - ☑ or set **Page scaling** to **"None"** or **"100%"** (old Acrobat versions).
- Select **"Auto"** under **Orientation**.
- Ensure you have enough sheets of paper available.
- Click on **Print**. Your printer will output a series of sheets which you can reassemble. Each sheet is numbered by (row, column) in its upper left corner. Line up the edge-marks to form a 1:1 pattern of the anchor side profile.




23.5 mm
15/32"

(2,1) -1- Rocna Mk II 60 (132 lb) pattern.pdf 30-07-2023 15:13:36



(2,2) -1- Rocna Mk II 60 (132 lb) pattern.pdf 30-07-2023 15:13:36

(3,2) -1- Rocna Mk II 60 (132 lb) pattern.pdf 30-07-2023 15:13:36



(4,2) -1- Rocna Mk II 60 (132 lb) pattern.pdf 30-07-2023 15:13:36



(5,2) -1- Rocna Mk II 60 (132 lb) pattern.pdf 30-07-2023 15:13:36



(3,3) -1- Rocna Mk II 60 (132 lb) pattern.pdf 30-07-2023 15:13:36



TOP VIEW

(5,3) -1- Rocna Mk II 60 (132 lb) pattern.pdf 30-07-2023 15:13:36



(2,4) -1- Rocna Mk II 60 (132 lb) pattern.pdf 30-07-2023 15:13:36



(3,4) -1- Rocna Mk II 60 (132 lb) pattern.pdf 30-07-2023 15:13:36



Printable and assemblable patterns, sizing guidelines, and m
See also the Rocna Knowledge Base at **kb.rocna.com**. For fu

Intended as a general reference only. May not be an exact or complete representation of the product. Dimensions may vary. Contents ba
CMP / Rocna Anchors assumes no responsibility for the accuracy of the information contained herein. Product specifications are subject
This pattern is supplied to you for the explicit and sole purpose of evaluating the possible fit of a Rocna anchor on a vessel. Any other use
of copyright, patent, design, or other law. The Rocna Mk II anchor is patented as described on the label above.
The names "Rocna" and "Vulcan" are registered trademarks ® and the Rocna, "Kiwi-R", and Vulcan logos, and other terms marked with ™ ar
trademarks of Rocna Anchors. All distributable media, including video, graphics, photography, and all copy printed or
electronic are copyright © 2004–2023 Rocna Anchors. All rights reserved.

(4,4) -1- Rocna Mk II 60 (132 lb) pattern.pdf 30-07-2023 15:13:36



ıore resources are available at **Rocna.com**.
rther assistance e-mail **support@rocna.com**.

ased on the latest information available at the time of publication.
to change without notice.
e of this document may constitute a violation

re

(5,4) -1- Rocna Mk II 60 (132 lb) pattern.pdf 30-07-2023 15:13:36